



LENZING
EcoVero™

FINESSE


NATURAL FINISH

Finesse is door de fijne rayonvezelstructuur uitermate geschikt om te bestempelen met folie en te bedrukken in offset en zeefdruk.


Finesse ist eine sehr feine Zellwollqualität, welche über hervorragende Präge- und Druckeigenschaften verfügt.

Finesse is a fine rayon quality ideal for stamping and screen or offset printing.


FINESSE



FINESSE




66001




66000




66002




66003




66004




66005




66006




66016




66007




66008




66009



66015




66017




66018




66010



66019



66020



66014




66011



66021



66012



66013

TECHNISCHE SPECIFICATIES

TECHNICAL SPECIFICATIONS
TECHNISCHE DATEN

FINESSE



ketting/warp/Kette

draden/threads/Fäden
celvezel/rayon/Zellwolle*
Nm

per cm 26.6
% 100
Nm 50



inslag/weft/Schuss

draden/threads/Fäden
celvezel/rayon/Zellwolle*
Nm

per cm 30
% 100
Nm 50



gewicht/substance

g/m² ≈ 175



dikte/caliper/Dicke

mm ≈ 0.32



cachering/backing paper (FSC™ certified)

zuurvrij papier/acid free paper/
säurefreies Papier

g/m² ≈ 30



lengte/roll size/Länge

meter 100




breedte/width/Breite

benutbare breedte/usable width/Nutzbreite

cm 135
cm 132

* Gebruik van LENZING™ ECOVERO™ vezels. Using LENZING™ ECOVERO™ fibers. Verwendung von LENZING™ ECOVERO™ Fasern.

01-2022



van Heek textiles

L. van Heek Textiles
Gronausestraat 309
7581 CV Losser - Holland
Telephone +31(0)53 5371111
info@vanheektextiles.com
www.vanheektextiles.com

FOLLOW US

